



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/652,137	08/29/2003	Raymond B. Essick IV	CML00772D	1175
33117	7590	09/21/2005	EXAMINER	
LARSON + ASSOCIATES PC 221 EAST CHURCH ST. FREDERICK, MD 21701			TRAN, DENISE	
			ART UNIT	PAPER NUMBER
			2189	

DATE MAILED: 09/21/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/652,137

Applicant(s)

ESSICK ET AL.

Examiner

Denise Tran

Art Unit

2189

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 29 August 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-23 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-23 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 29 August 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

1. Claims 1-23 are presented for examination.
2. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

3. The abstract of the disclosure is objected to because the abstract should be in narrative form and generally limited to a **single** paragraph on a separate sheet within the range of 50 to 150 words. Correction is required. See MPEP § 608.01(b).
4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

5. Claims 1-5, 9-10, 15-17, and 21-22 are rejected under 35 U.S.C. 102(b) as being anticipated by Watkins, U.S. Patent No. 5,937,436.

As per claim 1, Watkins shows the use of an address translation filter for filtering a signal on a system bus comprising: a first interface operable to connect to the system bus and receive a virtual memory address (i.e., interface between each device connected to the system bus or I/O bus) (e.g. figure 2a); a second interface operable to connect to the system bus and transmit a physical memory address (i.e., interface between each device connected to the system bus or I/O bus) (e.g. figure 2a); and an address translation unit operable to determine the physical memory address from the virtual memory address (e.g. figure 2a and col. 5, lines 54-64).

As per claim 15, Watkins shows a method of memory address translation comprising: receiving a first bus signal (i.e., interface between each device connected to the system bus or I/O bus) (e.g. figure 2a; col. 6, lines 45-65); translating a virtual memory address specified by the first bus signal to a physical memory address in an address translation filter (e.g. figure 2a and col. 5, lines 54-64; col. 6, lines 3-10; lines 45-65); and transmitting a second bus signal in accordance with the physical memory address (i.e., interface between each device connected to the system bus or I/O bus) (e.g. figure 2a; col. 6, lines 45-65).

As per claims 2 and 16, Watkins shows the use of the address translation unit includes a lookup table indexed by virtual addresses and selecting a physical memory address from the table (e.g. col. 6, lines 1-15 and col. 7, lines 45-55).

As per claim 3, Watkins shows the use of an address translation filter in accordance with claim 2, wherein the lookup table is indexed by the most significant portion of a virtual address (i.e., because the entire virtual address is used for lookup, the most significant portion is also used) (e.g. col. 6, lines 1-15).

As per claim 4, Watkins shows the use of an address translation filter in accordance with claim 1, wherein the address translation unit comprises a translation lookaside buffer (e.g. col. 1, lines 50-55 and col. 6, lines 1-15).

As per claims 5 and 17, Watkins shows the use of a refresh logic unit operable to refresh the translation lookaside buffer when the virtual memory address is not matched by an entry in the translation lookaside buffer (e.g. col. 6, lines 15-65).

As per claim 9, Watkins shows the use of a digital processing system, comprising: a core processor (e.g. figure 2a, elements 240 or 210); an external memory unit (e.g. figure 2a, element 220); an external processing device (e.g. figure 2a, element 260); an address translation filter (e.g. col. 5, lines 54-64); and a system bus linking the core processor, the external memory and the address translation filter to each other and linking the external processing device to the address translation filter (e.g. figure 2a, element 230), wherein the address translation unit is operable to translate a virtual memory address received via the system bus from the external processing device into a physical memory address transmitted via the system bus to the external memory unit

(e.g. figure 2a and col. 5, lines 54-64).

As per claim 10, Watkins shows wherein the address translation filter comprises: a translation lookaside buffer; and a refresh logic unit operable to refresh the translation lookaside buffer when the virtual memory address is not matched by an entry in the translation lookaside buffer (e.g. col. 1, lines 50-55 and col. 6, lines 1-15 and col. 6, lines 15-65).

As per claim 21, Watkins teaches the use of the second bus signal is transmitted to an external memory unit (e.g. figure 2a and col. 5, lines 54-64).

As per claim 22, Watkins teaches the use the first bus signal is received from a processing device (e.g. figure 2a and col. 5, lines 54-64).

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 7, 14, 20 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Watkins, U.S. Patent No. 5,937,436.

As per claims 7 and 20, Watkins does not show the use of input clock signals and output clock signals wherein the output clock signal is paused while the TLB is

Art Unit: 2189

being refreshed. "Official Notice" is taken that both the concept and advantages of providing for output clock signal is paused while the TLB is being refreshed is well known and expected in the art. It would have been obvious to one of ordinary skill in the art to include output clock signal is paused while the TLB is being refreshed to Watkins because it would provide for a reduction in power consumption.

As per claim 14, Watkins does not show the use of the bus being AMBA or AHB. "Official Notice" is taken that both the concept and advantages of providing for an AMBA or AHB bus is well known and expected in the art. It would have been obvious to one of ordinary skill in the art to include either an AMBA or AHB bus to Watkins because it would provide for compatibility between existing bus architectures and ability to handle robust bus protocols.

As per claim 23, Watkins does not specifically show the use of transferring code from a core processor to the processing device; and transferring an initial memory map from the core processor to the address translation filter. "Official Notice" is taken that both the concept and advantages of including transferring code from a core processor to the processing device; and transferring an initial memory map from the core processor to the address translation filter is well known and expected in the art. It would have been obvious to one of ordinary skill in the art to include transferring code from a core processor to the processing device; and transferring an initial memory map from the core processor to the address translation filter to Watkins would provide for updating

or upgrading the software contained in the NIC and provide for the initial assignment of virtual and physical addresses to the NIC.

8. Claims 6, 8, 11-13, and 18-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Watkins, U.S. Patent No. 5,937,436 in view of McGrath, U.S. Patent No. 6,671,791.

As per claims 6, 11, 12, 18 and 19, Watkins does not specifically show the use of an output control link responsive to the refresh logic unit and operable to signal a core processor when the translation lookaside buffer is to be refreshed and having the core load the information into the translation buffers. McGrath shows the use of an output control link responsive to the refresh logic unit and operable to signal a core processor when the translation lookaside buffer is to be refreshed and having the core load the information into the translation buffers (e.g. col. 18, lines 48-65). It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine McGrath with Watkins because it would provide for reduction in circuitry and complexity but not having additional hardware perform the load of the missed translation.

As per claim 8, Watkins does not specifically show the use of the virtual and physical memory addresses have the same width. McGrath shows the use of the virtual and physical memory addresses have the same width. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine

McGrath with Watkins because it would provide for a reduction in the complexity of the system by removing the need to translate between the two sizes.

As per claim 13, Watkins does not show the use of the TLB is refreshed via the system bus. McGrath shows the processor performing the refresh (e.g. col. 18, lines 48-65). Therefore the combined system would have one of the CPUs 210 sending the translation to the ATU to be stored. It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine McGrath with Watkins because it would provide for reduction in circuitry and complexity but not having additional hardware perform the load of the missed translation.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Denise Tran whose telephone number is (571) 272-4189. The examiner can normally be reached on Monday, Thursday, and Friday from 9:00 a.m. to 5:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matt Kim, can be reached on (571) 272-4182. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only.

Art Unit: 2189

For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, appearing to read "Denise Tran". The signature is fluid and cursive, with the first name "Denise" being more prominent than the last name "Tran".

Denise Tran

9/16/05